How to cite this article ?

Rakotomavo, A.,
2020. A look at
COVID-19 around the
world and in
Madagascar. *REVUT
Scientific Journal*, Vol.
1 (1): 1-6. DOI :
<https://doi.org/10.46857/rsj.2020.1.1.1-6>

Corresponding

author :
andri.savaivo@blueline.mg

This article is
protected by the
Licence :

L'évolution exponentielle des chiffres sur la Covid-19 inquiète les uns et les autres. La lutte contre la pandémie s'avère difficile en raison des paramètres scientifiques, sociaux et économiques auxquels il faut s'en tenir pour contenir la pandémie...

A look at COVID-19 around the world and in Madagascar

Rakotomavo Andriamparany^{1,2}

¹: Higher Institute of Sciences, Environment and Sustainable Development (ISSEDD - University of Toamasina, Madagascar). E-mail: andri.savaivo@blueline.mg

²: Coordination of the Scientific Review and the Professors' Council (CRSCP) - University of Toamasina, Madagascar. E-mail rakotomavo.revut@revut-univ-toamasina.com

DOI : <https://doi.org/10.46857/rsj.2020.1.1.1-6>

Received: June 14th, 2020

Accepted: June, 25th, 2020

Published: June, 30th, 2020

The exponential evolution of the figures on COVID-19 is worrying everyone. The fight against the pandemic is proving difficult because of the scientific, social and economic parameters that must be adhered to in order to contain the pandemic...

1. COVID-19 : yesterday, today and tomorrow

The overall objective of this Special COVID-19 Edition of *REVUT Scientific Journal* (RSJ) is to contribute to the fight against the disease and the spread of COVID-19 through a scientific publication of innovative, original results applicable to individual, community, national and/or international scale. This great challenge highlights the usefulness and employability of scientific research in solving socio-economic, ecological and technological problems during the difficult times humanity is going through, such as during the coronavirus pandemic. This edition, which is none other than the first volume of RSJ, aims to propose reflection paths or practical actions to combat COVID-19 and its spread.

First, the first wave of manuscripts presented in this volume provides a historical and multi-scalar (global and continental, Indian Ocean islands and Madagascar) retrospective of COVID-19. This reminder of the "yesterday" of epidemics consists of a historical outline of the diseases that have struck the world, including COVID-19. Data on statistics, causes and manifestations of these

diseases in the past are addressed respectively by Andrianarimisa and Corral-Broto & Rakotomavo...

Then, the current situation of the pandemic of the novel coronavirus is outlined in this Special Edition of RSJ. The "today" of the COVID-19 is described using statistics as of mid-June 2020. The different authors of this edition (Rakotomavo, Andrianarimisa, Corral-Broto & Rakotomavo, Djistera & L'Hôte, Mora *et al.* and Solofoniaina *et al.*), used World Health Organization figures to describe the current realities in terms of positive cases and mortality related to the disease.

Finally, the authors, through their respective discussions,

recommendations and conclusions, provide possible solutions as contribution to the fight against the pandemic. While Andrianarimisa predicts the "tomorrow" of the

Pour citer ce journal :

REVUT Scientific
Journal (RSJ)
ISSN online : 2708-5562
Volume 1, June 2020
DOI :
doi.org/10.46857/rsj.2020.1

Journal édité par:

CRSCP-Université de
Toamasina,
Madagascar

Sous la direction de :

Andriamparany
RAKOTOMAVO (Eds)

How to cite this article ?

Rakotomavo, A., 2020. A look at COVID-19 around the word and in Madagascar. *REVUT Scientific Journal*, Vol. 1 (1): 1-6. DOI : <https://doi.org/10.46857/rsj.2020.1.1.1-6>

Corresponding author :

andri.savaivo@blueline.mg

This article is protected by the licence :

pandemic using mathematical modeling, Corral-Broto & Rakotomavo, for their part, draw on history to advance reflections on strategies for managing this disease. As a contribution, research results on the potentialities of

aerodiffusion of aromatic plants in Madagascar are put forward by Razafiarimanga *et al.* in this RSJ Special Edition. The measures Mora *et al.* propose are budgetary; these are based on global macro-economic strategies applicable to Madagascar.

2. A quick look at the figures...

The evolution of the COVID-19 pandemic statistics reveals alarming figures on a global scale. From the interpretation of the World Health Organization reports, it emerges that between 26 March 2020 (WHO, 2020a) and 12 June 2020 (WHO, 2020b), the number of people who caught the coronavirus increased 16-fold. The total number of positive cases rose from 462,684 to 7,410,510 over a period of 78 days, with an average daily contamination rate of 98,075 cases. For this period of analysis, the number of deaths mainly caused by COVID-19 increased from 20,834 on 26 March 2020 to 418,294 on 12 June 2020, i.e. an average of 5,096 deaths per day

Table 1 : Situation of COVID-19 worldwide as of 12 June 2020

Region / Continent	Total number of cases*	Total number of deaths*	Mortality %**
Africa	155,762	3,700	2.4
America	3,560,591	192,944	5.4
Eastern Mediteranea	716,151	15,947	2.2
Europe	2,358,953	186,889	7.9
South East Asia	422,825	11,645	2.8
Western Pacific	195,487	7,156	3.7
Other**	741**	13**	1.8
Global Total	7,410,510	418,294	5.6

Sources : * : WHO (2020b) ; ** : Calculations made by the author (incubation period of 14 days not considered contrary to the methodological proposal of Baud *et al.* (2020)

Described as "high" in terms of WHO Risk Assessment (WHO, 2020a), this global health situation is becoming increasingly worrying due to a slight increase in the overall mortality rate between March and June 2020. Indeed, a quick analysis of the figures provided by WHO (2020a; 2020b) shows a 1.1 point increase in the global mortality rate, ranging from 4.5% on 26 March 2020 to 5.6% on 12 June 2020 (Table 1).

According to WHO (2020a; 2020b), Africa had a total of 1937 confirmed cases as of 26 March 2020, compared to 155,762 cases as of 12 June 2020. In other words, the number of people who have caught the coronavirus has increased 80.4-fold in

78 days, equivalent to an average rate of spread of 1972 cases per day between March and June 2020. The number of deaths in Africa increased from 31 (26 March 2020) to 3,700 (12 June 2020), with a mortality rate from 1.6% (26 March 2020) to 2.4% (12 June 2020), and with a lower mortality rate than the global average, Africa is characterized by a more significant rate of spread of the virus, resulting in an average number of deaths of 47 people per day

Pour citer ce journal :

REVUT Scientific
Journal (RSJ)
ISSN online : 2708-5562
Volume 1, June 2020
DOI :
doi.org/10.46857/rsj.2020.1

Journal édité par :

CRSCP-Université de Toamasina,
Madagascar
Sous la direction de :
Andriamparany
RAKOTOMAVO (Eds)

How to cite this article ?

Rakotomavo, A., 2020. A look at COVID-19 around the word and in Madagascar. *REVUT Scientific Journal*, Vol. 1 (1): 1-6. DOI : <https://doi.org/10.46857/rsj.2020.1.1.1-6>

Corresponding author :

andri.savaivo@bluewin.ch

This article is protected by the licence :

with zero new contact cases detected at least since May 2020, is the only country in the Region with the highest mortality rate: 2.3% compared to 0.4% in the Maldives, 0.8% in Madagascar and 1.2% in the Comoros and Mayotte. With an average rate of 1.3% (ratio between the number of deaths and the number of cases, excluding Seychelles - Table 2), these

On the Indian Ocean scale, Madagascar is among the most contaminated countries behind Mayotte (2,268 cases) and Maldives (2,003 cases), according to the World Health

Organization's report dated 13 June 2020. Without taking into account the total number of tests carried out per country, Table 2 shows that Mauritius,

values remain low compared to the African and world averages of 2.4 and 5.6% respectively. They are significantly low if we refer respectively to the rates of 5.6% and 15.2% calculated in China and elsewhere in the world on 1 March 2020. Contrary to the previous figures, these rates are based on the ratio between the number of deaths on a given day and the number of cases confirmed 14 days before (Baud *et al*, 2020).

Madagascar, despite its insular position and after having suspended all air and sea links with the rest of the world since 19 March 2020, could not escape the COVID-19 pandemic. On 30 March 2020, according to figures provided by WHO (2020a), it had 46 confirmed cases, compared with 1,230 as of 13 June 2020 (WHO, 2020c), equivalent to an average daily contamination rate of 16 people over a period of 75 days. This rate of spread is 1.6 times higher than that recorded on the African continent as a whole. It is always important to note that the interpretation of the various figures above does not take into account the number of tests carried out per country.

Table 2: Situation of COVID-19 in the Indian Ocean as of 13 June 2020

Indian Ocean countries	Total number of cases*	Total number of deaths*	Mortality %**
Mauritius	337	10	2.3
Mayotte	2,268	28	1.2
Comoros	163	2	1.2
Madagascar	1,230	10	0.8
Maldives	2,003	8	0.4
Seychelles	11	0	Not extrapolable

Sources : *: WHO (2020c) ; **: Calculations made by the author (incubation period of 14 days not considered contrary to the methodological proposal of Baud *et al* (2020)).

This volume of *REVUT Scientific Journal* (RSJ) summarizes Malagasy statistics obtained from mid-March 2020, the date of the official outbreak of the pandemic in Madagascar, to mid-June 2020, the date of the journal's publication. Mathematical modeling tests of the situation are given at the beginning of this COVID-19 Special Edition. The realities and scenarios put forward by Andrianarimisa in this edition surely constitute decision-making tools in the effective management of COVID-19 in Madagascar. The author, after describing the global trend of the pandemic figures,

suggests that the peak of the disease will be reached 120 days after its first onset on the territory, that is to say between 16 and 26 July 2020. This mathematical projection would surely help the various participants likely to be concerned by the management of COVID-19 to make the right related decisions.

Pour citer ce journal :

REVUT Scientific
Journal (RSJ)
ISSN online : 2708-5562
Volume 1, June 2020
DOI :
doi.org/10.46857/rsj.2020.1

Journal édité par :

CRSCP-Université de
Toamasina,
Madagascar

Sous la direction de :

Andriamparany
RAKOTOMAVO (Eds)

How to cite this article ?

Rakotomavo, A., 2020. A look at COVID-19 around the word and in Madagascar. *REVUT Scientific Journal*, Vol. 1 (1): 1-6. DOI : <https://doi.org/10.46857/rsj.2020.1.1.1-6>

Corresponding author :

andri.savaivo@blueline.mg

This article is protected by the licence :

2. A difficult struggle with multiple parameters

First appeared in Wuhan-Hubei in November 2019 (Ma, 2020), the novel coronavirus-2 of Severe Acute Respiratory Syndrome (SARS-CoV-2 or COVID-19) remains little known so far, despite advances in science on its transmission modes,

its possible host animals, as well as on the people who are the most vulnerable. The lack of knowledge about the virus does not allow fighting it effectively. This editorial attempts to outline some factors to take into account in the fight against this pandemic.

Li *et al.* (2020), in their study entitled "Substantial undocumented infection facilitates the rapid dissemination of novel coronavirus (SARS-CoV-2)" published in *Science* 368 (6490): 489-493, assert that stealthy transmission of the disease is one of the main causes of the spread of the virus. Undetected, minimally symptomatic or asymptomatic cases are responsible for the widespread spread of this virus in China. Du *et al.* (2020) confirm that in Wuhan, the average duration of transmission between 2 consecutive cases is around 4 days. In addition to these findings the following parameters make it difficult to fight COVID-19 worldwide:

- The stability of the lifespan of the virus depending on the medium on which it clings (copper, plastic, aerosol, cardboard). According to Van Doremalen *et al.* (2020) and Kampf *et al.* (2020), its lifespan varies from a few hours to several days, an important parameter to consider in managing its spread by contact ;
- The possible seasonality of the COVID-19 pandemic, a hypothesis put forward by Sadaji *et al.* (2020). This information should help decision makers to

better anticipate the measures to be taken;

- Risks related to contact with wild animals such as pangolin and bats. Indeed, Anderson *et al.* (2020) suggest that these two animals are reservoirs of SARS-CoV-2. For Ji *et al.* (2020), snakes could also harbor this virus ;
- The aggravating nature of the health condition of some people with hypertension, type 2 diabetes, especially when treated with inhibitors of the Angiotensin Converting Enzyme (ACE) or Angiotensin Receptor Blocker (ARB) (Fang *et al.*, 2020). Similarly, Diaz *et al.*, (2020) confirm that people with cardiovascular disease are at risk as a result of this enzyme inhibition phenomenon;
- The vulnerable nature of the elderly (Lloyd-Sherlock *et al.*, 2020). CDCP (2020) reports that mortality from Covid-19 could rise by as much as 10% among the elderly.

In addition to the large number of parameters to be considered in the fight against COVID-19, the social, cultural and economic challenges that characterize it are among the factors that are difficult to overcome. Limiting human contact, as well as lockdown, systematic hand washing and social distancing advocated by Nicolaides *et al.* (2020) and Stüttgen *et al.* (2020) are major challenges, according to Poole *et al.* (2020) and Weitz *et al.* (2020).

In this edition, Solofoniaina *et al.* show the socio-economic difficulties encountered by a vulnerable population segment in the city of Toamasina – Madagascar, following the restrictive measures related to COVID-19. Furthermore, Djistera & L'Hôte underline through their manuscript the gaps between the socio-educational strategies adopted by French and Malagasy educational institutions in the face of the pandemic. Corral-Broto & Rakotomavo, for their part, demonstrate throughout history the problem of managing various health crises in the Global South.

Despite these countless parameters and difficulties to be overcome, the

Pour citer ce journal :

REVUT Scientific
Journal (RSJ)
ISSN online : 2708-5562
Volume 1, June 2020
DOI :
doi.org/10.46857/rsj.2020.1

Journal édité par:

CRSCP-Université de Toamasina,
Madagascar
Sous la direction de :
Andriamparany
RAKOTOMAVO (Eds)

How to cite this article ?

Rakotomavo, A., 2020. A look at COVID-19 around the word and in Madagascar. *REVUT Scientific Journal*, Vol. 1 (1): 1-6. DOI : <https://doi.org/10.46857/rsj.2020.1.1.1-6>

Corresponding author :

andri.savaivo@blueline.mg

This article is protected by the licence :

authors. Mora *et al* and Razafiarimanga *et al.* are respectively optimistic about the applicability of the macroeconomic and phyto-pharmaceutical recommendations they suggest in this edition.

References

Andersen, K.G., Rambaut, A., Lipkin, W.I. *et al.*, 2020. The proximal origin of SARS-CoV-2. *Nat Med* **26(2020)** : 450-452.

DOI : <https://doi.org/10.1038/s41591-020-0820-9>

Baud, D., Qi, X., Nielsen-Seines, K., Musso, D., Pomar, L. & Favre, G., 2020. Real estimates of mortality following COVID-19 infection. *The Lancet Infectious Diseases*. **March 12, 2020**. DOI : [https://doi.org/10.1016/S1473-3099\(20\)30195-X](https://doi.org/10.1016/S1473-3099(20)30195-X)

Centers for Disease Control and Prevention (CDCP), 2020. Severe Outcomes Among Patients with Coronavirus Disease 2019 (COVID-19) — United States, February 12–March 16, 2020. *MMWR Morb Mortal Wkly Rep* **69(2020)** :343-346. DOI : <http://dx.doi.org/10.15585/mmwr.mm6912e2>

Diaz, J.H., 2020. Hypothesis: angiotensin-converting enzyme inhibitors and angiotensin receptor blockers may increase the risk of severe COVID-19. *Journal of Travel Medicine*, **April 2020**, **27(3)**.. DOI : <https://doi.org/10.1093/jtm/taaa041>

Du, Z., Wang, L., Cauchemez, S., Xu, X., Wang, X., Cowling, B. J., Meyers, L. (2020). Risk for Transportation of Coronavirus Disease from Wuhan to Other Cities in China. *Emerging Infectious Diseases*, **26(5)** : 1049-1052. DOI : <https://dx.doi.org/10.3201/eid2605.200146>

Fang, L., Karakiulakis, G. & Roth, M., 2020. Are patients with hypertension and diabetes mellitus at increased risk for COVID-19 infection? *The Lancet Respir Med* : **8(4)** : 321-422. DOI : [https://doi.org/10.1016/S2213-2600\(20\)30116-8](https://doi.org/10.1016/S2213-2600(20)30116-8)

Ji, W., Wang, W., Zhao, X., Zai, J., & Li, X., 2020. Cross-species transmission of the newly identified coronavirus 2019-nCoV. *Journal of Medical Virology* **92 (2020)** : 433-440. DOI : 10.1002/jmv.25682

Kampf, G., Todt, K., Pfaender, S. & Steinmann, E., 2020. Persistence of coronaviruses on inanimate surfaces and their inactivation with biocidal agents. *The Journal of Hospital Infection*, **March 2020** : **104 (3')** : 246-251. DOI : <https://doi.org/10.1016/j.jhin.2020.01.022>

Li, R., Pei, S., Chen, B., Song, Y., Zhang, T., Yang, W. & Shaman, J., 2020. Substantial undocumented infection facilitates the rapid dissemination of novel

coronavirus (SARS-CoV-2). *Science* : **368 (6490)** : 489-493. DOI : 10.1126/science.abb3221

Lloyd-Sherlock, P., Ebrahim, S., Geffen, L., McKee, M., 2020. Bearing the brunt of covid-19: older people in low and middle income countries. *British Medical Journal*, **March 2020** : **368**. DOI : <https://doi.org/10.1136/bmj.m1052>

Ma, J., 2020. Coronavirus : China's first confirmed COVID-19 case traced back to November 17. *South China Morning Post*, **13 mars 2020**. <https://www.scmp.com/news/china/society/article/3074991/coronavirus-chinas-first-confirmed-covid-19-case-traced-back> (Accessed June 24th, 2020)

Nicolaides, C., Avraam, D., Cueto-Felgueroso, L., González, M.C. & Juanes, R., 2020. Hand-hygiene mitigation strategies against global disease spreading through the air transportation network. *Risk Analysis*, **Dec 2019** : **40(4)** : 723-740.. DOI : <https://doi.org/10.1111/risa.13438>

Poole, D.N., Escudero, D.J., Gostin, L.O. *et al.*, 2020. Responding to the COVID-19 pandemic in complex humanitarian crises. *Int J Equity Health*, **March 2020** : **19(41)**. <https://doi.org/10.1186/s12939-020-01162-y>

Sajadi, M.M., Habibzadeh, P., Vintzileos, A., *et al.*, 2020. Temperature, Humidity, and Latitude Analysis to Estimate Potential Spread and Seasonality of Coronavirus Disease 2019 (COVID-19). *JAMA Netw Open*. **2020** : **3(6)** : e2011834. DOI : 10.1001/jamanetworkopen.2020.1183

Stutt R.O.J.H., Refkute R., Bradley M., Gilligan C.A. & Colvin J., 2020. A modelling framework to assess the likely effectiveness of facemasks in combination with 'lock-down' in managing the COVID-19 pandemic. *Proc. R. Soc. A* **476** : **20200376**. DOI : <http://dx.doi.org/10.1098/rspa.2020.0376>

Van Doremalen, N., Morris, D.H., Holbrook, H.G., Gamble, A., Williamson, B.N., Tamin, A., Harcourt, J.L., Thornburg, N.J., Gerber, S.I., Lloyd-Smith, J.O., De Wit, E. & Munster, V.J., 2020. Aerosol and Surface Stability of SARS-CoV-2 as Compared with SARS-CoV-1. *The New England Journal of Medicine*, **April 2020** : **382** : 16. DOI : 10.1056/NEJMc2004973

Weitz, J.S., Beckett, S.J., Coenen, A.R. *et al.*, 2020. Modeling shield immunity to reduce COVID-19 epidemic spread. *Nat Med* (2020). DOI : <https://doi.org/10.1038/s41591-020-0895-3>

WHO, 2020a. Coronavirus disease (COVID-19) Situation Report **66**, **March 26th, 2020**. https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200326-sitrep-66-covid-19.pdf?sfvrsn=9e5b8b48_2 (Accessed March, 26th 2020)

WHO, 2020b. Coronavirus disease (COVID-19) Situation Report **144**, **June, 12th, 2020**. https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200612-sitrep-144-covid-19.pdf?sfvrsn=9e5b8b48_2

Pour citer ce journal :

REVUT Scientific Journal (RSJ)
ISSN online : 2708-5562
Volume 1, June 2020
DOI : doi.org/10.46857/rsj.2020.1

Journal édité par :

CRSCP-Université de Toamasina, Madagascar
Sous la direction de :
Andriamparany RAKOTOMAVO (Eds)

How to cite this article ?

Rakotomavo, A., 2020. A look at COVID-19 around the word and in Madagascar. *REVUT Scientific Journal*, Vol. 1 (1): 1-6. DOI : <https://doi.org/10.46857/rsj.2020.1.1.1-6>

Corresponding author :

andri.savaivo@blueline.mg

This article is protected by the Licence :

source/coronaviruse/situation-reports/20200612-covid-19-sitrep-144.pdf?sfvrsn=66ff9f4f_4 (Accessed June, 13rd, 2020)

WHO, 2020c. Coronavirus disease (COVID-19) Situation Report 145, **June 13rd, 2020.**

https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200613-covid-19-sitrep-145.pdf?sfvrsn=bb7c1dc9_4 (Accessed June 14th, 2020)

Pour citer ce journal :

REVUT Scientific Journal (RSJ)
ISSN online : 2708-5562
Volume 1, June 2020
DOI : doi.org/10.46857/rsj.2020.1

Journal édité par:

CRSCP-Université de Toamasina,
Madagascar

Sous la direction de :

Andriamparany
RAKOTOMAVO (Eds)